



XF-PTL23816-C

Specification

Optical structure	Bi-Telecentric
Magnification	0.0679
Object field of view	Φ238.6mm
Image field of view	Φ16.2mm
Working Distance	410mm±3%
Telecentricity	<0.04°(0.06°)
Depth of field	153.9mm
F#	F6.5
Resolution	63.2μm
MTF	>0.3@160lp/mm
Distortion	<0.025%(0.071%)
Detector type:	

1'	12.8×9.6	188.5×141.4mm
2/3'	8.45×7.07	124.4×104.1mm
1/1.8'	7.2×5.3	106.0×78.1mm
1/2'	6.4×4.8	94.3×70.7mm

XF-PTLAAABB-C/F/P/M- (L90E)

<p>The fourth generation lens of Canrill</p> <p>Object FOV</p> <p>Image FOV</p>	<p>The camera mount (M & P mount need specify BFL)</p> <p>90° Steering option</p>
--	---

Undefined tolerance (mm)	degree	File Name		
X. X	±0.2	±30min	XF-PTL23816-C-外形尺寸-EN	
X. XX	±0.02	Drawing Name		
X. XXX	±0.005	Drawing Size: A3		
	Sign	Data/Ver.	Material	Ratio
Design				1:5
Modify1			Qty	
Modify2			Total:	
			Page:	Canrill OPTICS <small>All design and drawings are intellectual property of Canrill Optics, can not be copied without Canrill's authorization.</small>